


AliDeck

ADJUSTABLE PEDESTAL BRACKET

Specification
Datasheet

CLASS A1
FIRE
RATED

ADJUSTABLE HOLES
FOR EASY FITTING ON
GRADIENTS



LOW JOIST

ADJUSTABLE
PEDESTAL BRACKET

The AliDeck Adjustable Pedestal Bracket is compatible with all of our joists. Available in 4 standard sizes (bespoke sizes available on request), a wide array of build-up heights can be easily achieved.

This design allows for quick and hassle free installation on site.

Product Specification


Fire Rating:	A1
Material:	6063 T6 structural grade aluminium
Height range	30mm to 200mm
Base Diameter:	100mm x 50mm
Finish:	Mill Finish Aluminium
Biological/chemical	Resistant to moulds, algae, alkali, bitumen
Certified Compression	5kN as standard (Data available on request)

All AliDeck Pedestals have been independently tested; for loading performance to BS 6180; for deflection performance to BS 8118, BS 6399, and BS 1991. As pedestals are supplied mill finish, an A1 fire rating is automatically achieved.

AliDeck JUMBO ADJUSTABLE PEDESTAL BRACKETS

Specification
Datasheet

BRACKETS CAN
BE USED WITH
ADHESIVE TAPE



CLASS A1
FIRE
RATED

Designed to provide an economical but versatile pedestal option, our 6mm thick Jumbo Adjustable Pedestal Brackets are A1-rated and non-combustible as they are manufactured and supplied in mill-finish. Simple but highly effective allowing users to create an even greater build up height. Installation and levelling can be accomplished quickly and easily with the L-shaped aluminium brackets with sloping bolt channels.


Product Specification

Fire Rating:	A1
Material:	6063 T6 structural grade aluminium
Height range	Up to 300mm
Base Diameter:	100mm x 50mm
Finish:	Mill Finish Aluminium
Biological/chemical	Resistant to moulds, algae, alkali, bitumen
Certified Compression	5kN as standard (Data available on request)

All AliDeck Pedestals have been independently tested; for loading performance to BS 6180; for deflection performance to BS 8118, BS 6399, and BS 1991. As pedestals are supplied mill finish, an A1 fire rating is automatically achieved.

Dimensions

Adjustable Pedestal Brackets




*when used with a low joist

Warranty

The brackets are supplied with a **30 year warranty** against splitting, cracking, warping, splintering, rotting, twisting and material or manufacturing defects. They have a minimum **60 year life expectancy**.

Jumbo Adjustable Pedestal Brackets



ALL ALUMINIUM



HEAT RESISTANT



LOW MAINTENANCE



RECYCLABLE



STABLE IN ALL WEATHER CONDITIONS



A1 FIRE RATED

House 1, Europa & Jenner
2 Trident Close
Rochester, Kent
ME2 4ER

Tel: 01622 235 672
Email: info@alideck.co.uk
www.alideck.co.uk

ALIDECK™
Aluminium Decking